



5450 Complex Street, # 307 San Diego, CA 92123 Phone: 858-571-0475,

Fax: 858-764-2756

Commissioner for Patents P. O. Box 1450 Alexandria, Virginia 22313-1450

March 21, 2006

Re: Office Action dated Feb. 22, 2006; US Patent Application 10/809,977 filled 03/26/2004.

The following is our reply to the Office Action dated 02/22/2006.

We appreciated for all yours arguments. Below there are our amendments in Patent Application 10/809,977 filled 03/26/2004 made in accordance with 37 CFR 1.121.

Brief comments to the amendments:

- 1. AMENDMENTS TO THE SPECIFICATION.
- (i) In respect with the Examiner request "that the applicant amended the specification to recite the appropriate provisional application number" we would like to replace the paragraph [0001], no new matter was entering:
- (ii) According to the Examiner notes that "The specification fails to describe how the device operates in the detailed description of preferred embodiments" and advise to review the specification to rectify any further errors, we would like to replace the following paragraphs, no new matter was entering:
- a) 5^{th} and 6^{th} in the section BRIEF DESCRIPTION OF THE DRAWINGS;
- b) [0020];
- c) [0021];
- d) [0023];
- e) [0024];
- f) [0025];
- g) [0027];